

This document contains the Appendix A and References of the National Coastal Condition Report III.

The entire report can be downloaded from http://www.epa.gov/nccr

National Coastal Condition Report III Appendix A and References

December 2008

APPENDIX A

Quality Assurance



Quality Assurance

The primary purpose of this appendix is to provide information regarding the sample collection, data quality, and data analysis methods used in this report. This appendix provides additional specific detail and explanation on the analysis of uncertainty (i.e., error estimates) and the assignment of ratings and calculation of scores used in the regional and national assessments. An important programmatic goal is to provide researchers with a large, robust database of coastal environmental information of known data quality. The National Coastal Assessment (NCA) partners have already written many peer-reviewed journal articles using these data. It is our hope that other researchers will recognize the utility of this large database and add to the body of knowledge on coastal monitoring and assessment.

Analysis of Uncertainty

Background

As one of the largest and most comprehensive state partnership programs, the NCA allows assessment of ecological condition at state, regional, and national scales. The program partners use the NCA Quality Assurance (QA) Program to monitor and assess the quality of the data collected through NCA activities. The NCA QA Program is conducted under the guidance of the National Health and Environmental Effects Research Laboratory (NHEERL) Director of Quality Assurance. The NCA QA team consists of the following team members:

- National QA Coordinator—Assures that a QA program is in place and being followed and that the known quality of the data sets developed by the national contract laboratories is properly documented.
- Four regional QA coordinators—Assure that the QA program is being followed and develop the documentation supporting the known quality of the data collected in the NCA.
- Twenty-four state QA coordinators—
 Responsible for reviewing and qualifying all
 data sets sent to the program from their
 respective states.

A detailed Quality Assurance Project Plan (QAPP) was developed by the NCA (U.S. EPA, 2001b) and provided to all participants in the program. Compliance with the QAPP is assessed through extensive field training exercises, site visits, reviews, and audits. The QAPP addresses multiple levels of the program, ranging from the collection and laboratory processing of field samples to the review of data sets compiled from the field and laboratory activities. The NCA QA team is responsible for performing assessments of the adequacy of these activities.

Sample Collection

Approximately 2,200 water quality sites were sampled in both the 1999-2000 and 2001-2002 time frames. This count includes Chesapeake Bay water quality sites, Puerto Rico 2000 sites, and sites in Southcentral Alaska and Hawaii. The number of sites varied slightly among the media sampled based on the acceptance/rejection criteria detailed in the field sampling manual and the QAPP; however, more than 2,000 sites were sampled for each media (except fish tissue, see below) in each of the National Coastal Condition *Report* (NCCR) time periods. To ensure the comparability of data between states, NCA conducted a 4- to 5-day training workshop for all state partners participating in the program. The workshop included training on the application of the probability-based design to state monitoring activities and implementation of the standardized methods required for sample collection. Each state field crew was evaluated on their ability to apply the protocols and received certification after the training based on a field trial. As outlined in the National Coastal Assessment Field Operations Manual (U.S. EPA, 2001a), field crews were audited throughout the duration of the program to ensure comparable sampling methods were used. Each field crew is visited once at the beginning of each sampling season and reviewed for adherence to the protocols in the QAPP.

Data Quality

Before the sampling event began in 2000, NCA convened a diverse panel of environmental scientists to help formulate a list of core indicators to ensure that the NCA collected the appropriate types of data to support its mission. These indicators and the application of these indicators are reviewed prior to NCA data analysis and the publication of each NCCR. In order to ensure that the data collected were of appropriate quality to generate sound estimates on environmental condition, the NCA utilized the U.S. Environmental Protection Agency's (EPA's) concept of data quality objectives (DQOs) to set the overall level of data quality required by management to make informed decisions. In other words, how much error can be tolerated within the measurement process before the data are deemed unacceptable?

NCA developed an a priori, program-level DQO for estimates of condition: "For the cumulative distribution function (CDF) of each index and component indicator of condition, estimate the portion of the resource in degraded condition within ±10% for the overall system and ±10% for subregions, with 90% confidence based on a completed sampling regime." Table A-1 shows

that this requirement was met by the estimates of condition in this report for the indices and component indicators in all regions, with the exception of Puerto Rico and the Great Lakes. It should be noted that the uncertainty associated with areal estimates of ecological condition in the Great Lakes cannot be determined because areal estimates of condition were not available for the Great Lakes. Also, the fish tissue contaminants index is expressed as a percentage of fish samples analyzed (Northeast Coast region) or stations where fish were caught (all other regions); therefore, the uncertainty associated with areal estimates of ecological condition cannot be determined.

Data Assessment Methods

In general, all data assessments for this report followed the methods outlined in the *National Coastal Condition Report II* (NCCR II) (U.S. EPA, 2004a). For most of the regions, the data used in the assessments of condition were collected in 2001 and 2002 (some exceptions exist; see Table A-2). In the Gulf Coast, Southeast Coast, and Northeast Coast regions, these data were compared to similar survey data collected in the 1990s and 2000 to conduct an initial estimate of trends in estuarine condition.

Table A-1. Levels of Uncertainty Associated with the Estimate of Proportion of Area in Poor Condition (2001–2002, except West Coast 1999–2000, and Puerto Rico 2000)									
Index/Indicator	Northeast Coast	Southeast Coast	Gulf Coast	West Coast	Great Lakes	Puerto Rico	United States (without AK & HI)	South- central Alaska	Hawaii
Water Quality Index	4%	6%	4%	4%	NA	15%	4%	12%	6%
Nitrogen	5%	2%	2%	3%	NA	14%	3%	14%	11%
Phosphorus	4%	6%	4%	3%	NA	8%	4%	11%	8%
Chlorophyll a	4%	6%	3%	4%	NA	14%	3%	12%	8%
Water Clarity	3%	9%	5%	3%	NA	15%	5%	12%	19%
Dissolved Oxygen	3%	3%	3%	4%	NA	8%	3%	12%	11%
Sediment Quality Index	3%	7%	4%	4%	NA	15%	2%	2%	2%
Sediment Toxicity	3%	3%	3%	4%	NA	10%	1%	11%	11%
Sediment Contaminants	3%	2%	2%	5%	NA	10%	2%	2%	6%
Sediment TOC*	6%	5%	3%	4%	NA	16%	2%	11%	10%
Coastal Habitat Index	<.1%	<.1%	<.1%	<.1%	NA	NA	<.1%	NA	NA
Benthic Index	4%	7%	4%	4%	NA	15%	3%	NA	NA
Fish Tissue Contaminants Index	NA	NA	NA	NA	NA	NA	NA	NA	NA

^{*} total organic carbon (TOC)

Table A-2. Years Assessed for NCCR III Condition Estimates and for Trends in Condition					
Region	Years Assessed for NCCR III	Years Assessed for Trends			
Northeast Coast	2000–2002	1990–1993, 2000–2001			
Southeast Coast	2001–2002	1994–1997, 2000–2002			
Gulf Coast	2001–2002	1991–1994, 2000–2002			
West Coast	1999–2000	NA			
Great Lakes	2001-2002	NA			
Southcentral Alaska and Hawaii	2002	NA			
Puerto Rico	2000	NA			

Assignment of Ratings and Calculation of Scores

Determining Rating Scores for Indices

The data analysis methods that were used to determine rating scores for the regional and national condition indices and component indicators were similar to those used in the NCCR II. These methods are outlined below and summarized in a series of tables showing the ranges of values used for the indices, component indicators, and rating scores.

The data analysis process includes several steps, which are outlined in Chapter 1. Briefly, each site receives a rating of "good," "fair," or "poor" for each index and component indicator (see Tables 1-23, 1-24, and 1-25 in Chapter 1), depending on the value of that index or component indicator. The range of values for these indicators was determined from literature, best professional judgment, or expert opinion (Table A-3). In some cases, different value ranges were determined for different regions based on comments from peer reviewers and consultations with state water quality managers. These ranges are reevaluated for each NCCR by groups of experts including academic scientists, government scientists, and others. For the component indicators and the benthic and fish tissue contaminants indices, the rating at each station (or fish samples analyzed for the fish tissue contaminants index in the Northeast Coast region) is then translated to scores (good = 5, fair = 3, poor = 1). The water quality and sediment quality index, which are the two indices with component indicators, ratings for each station are calculated based on how many component indicators received a poor rating.

Table A-3. Sources of Information to Establish Ranges of Indicator Values for Good, Fair, or Poor Ratings					
Index or Component Indicator	Source				
Water Quality Index	Best professional judgment; consultations with experts and selected state water quality managers				
Dissolved Inorganic Nitrogen (DIN) Dissolved Inorganic Phosphorus (DIP) Chlorophyll <i>a</i>	Bricker et al., 1999; selected state criteria for chlorophyll a in coastal waters				
Water Clarity	Smith et al., 2006; best professional judgment; consultations with selected state water quality managers				
Dissolved Oxygen	Diaz and Rosenberg, 1995; U.S. EPA, 2000a; selected state criteria for dissolved oxygen in coastal waters				
Sediment Quality Index	Best professional judgment; consultations with experts and selected state water quality managers				
Sediment Toxicity	U.S. EPA, 1994				
Sediment Contaminants	Long et al., 1995; consultations with experts				
Sediment TOC	Best professional judgment; consultations with experts and selected state water quality managers				
Benthic Index	Engle et al., 1994; Weisberg et al., 1997; Engle and Summers, 1999; Van Dolah et al., 1999; Hale and Heltsche, 2008				
Benthic Diversity (in lieu of benthic index)	Best professional judgment; consultations with experts				
Fish Tissue Contaminants Index	U.S. EPA, 2000c; consultations with experts				

To determine the regional ratings, an areally weighted CDF is then calculated for each index and component indicator (except for the fish tissue contaminants index) for the distribution of sites in each region to show what percentage of the area in each region has scores of 1 (poor), 3 (fair), and 5 (good). The CDF also calculates error estimates and 95% confidence intervals. The region is then rated overall as good, fair, or poor for each index or component indicator based on the percent area that is rated poor and fair for each index or indicator. The regional rating for the fish tissue contaminants index is based on the percentage of fish samples analyzed (Northeast Coast region) or monitoring stations where fish were caught (all other regions) in poor or fair condition. For the all of the indices of condition, the "fair" rating can have a score of 2, 3, or 4. This distinction was based on best professional judgment and was used to determine when final scores were "fair to poor" or "good to fair" rather than just fair. The specific ranges in percent area with poor ratings that result in scores of 2, 3, or 4 are shown in Table A-4. If a region has < 50% of its coastal area (or for the fish

tissue contaminants index, fish samples analyzed [Northeast Coast region] or stations where fish were caught [all other regions]) rated good, then the score is 3 and the region is rated fair. The regional rating for the coastal habitat index is determined based on the average rate of wetland loss as indicated by data from the NWI (Dahl, 2002).

Additional steps are required to calculate the "overall condition" score for each region. The overall condition score for a region is an average of the final scores for each index. In this calculation, the "fair" rating can also have a score of 2, 3, or 4.

To create the national index scores, an areally weighted average was calculated from the regional index scores. Each regional index score was areally weighted by the percentage of total area of U.S. estuaries and coastal embayments in each region. For example, the weighted average for the national water quality index was calculated by summing the products of the regional water quality index scores and the coastal area contributed by each region (Table A-5). The national overall condition score was then calculated by summing each national index score and dividing by five.

Table A-4. Ranges of Percent Area Rated Poor that Result in Scores of I -5						
Index	Poor (I)	Fair to Poor (2)	Fair (3)	Good to Fair (4)	Good (5)	
Water Quality Index	> 20%	18–20%	13–17%	10–12%	< 10%	
Sediment Quality Index	> 15%	13–15%	8-12%	5–7%	< 5%	
Benthic Index	> 20%	18-20%	13-17%	10-12%	< 10%	
Fish Tissue Contaminants Index (% of sites)	> 20%	18–20%	13–17%	10–12%	< 10%	

Table A-5. Calculation of the National Water Quality Index Score					
Region	Water Quality Index Score (A)	Proportion of U.S. Estuarine Area (B)	Product (A × B)	National Water Quality Index Score	
Northeast Coast	3	0.167	0.501		
Southeast Coast	3	0.075	0.225		
Gulf Coast	3	0.171	0.513		
West Coast	3	0.063	0.189	Sum $(A \times B) = 3.701$	
Southcentral Alaska	5	0.347	1.735		
Hawaii	5	0.002	0.010		
Great Lakes	3	0.175	0.525		
Puerto Rico	3	0.001	0.003		

Fish Tissue Contaminant Assessments in NCCR III

There is currently no EPA guidance available for evaluating the ecological risk of whole-body contaminant burdens in fish. EPA's Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories: Volume 2: Risk Assessment and Fish Consumption Limits (U.S. EPA, 2000c) provides guidance for estimating the contaminant risk that non-commercial fish and shellfish pose to consumers. This guidance is intended to be used by the local, state, regional, and tribal environmental health officials responsible for issuing fish consumption advisories. To that end, the assessments of fish tissue contaminants in the NCCR II and the National Coastal Condition Report III (i.e., NCCR III) relied on the suggested human health "benchmarks" provided in this guidance document. In essence, if concentrations of contaminants found in the fish tissue met or exceeded a human health consumption endpoint, then best professional judgment determined that the fish were likely exposed to an environmentally available contaminant.

The methodology recommended in the EPA fish advisory guidance document (U.S. EPA, 2000c) and cited in the two previous NCCR documents was used as a surrogate method for establishing an "ecological threshold value" for fish and shellfish. The EPA guidance document was designed to provide a method for assessing the health risks to consumers of eating chemical-contaminated fish and shellfish that are harvested from local waterbodies by recreational or subsistence fishers (those who rely on fish as a primary source of protein). The guidance provides a methodology for developing fish consumption limits for 25 high-priority chemical contaminants (i.e., target analytes). These target analytes were selected by EPA's Office of Water as

significant contaminants based on their documented occurrence in fish and shellfish, persistence in the environment, potential for bioaccumulation in aquatic food webs, and oral toxicity to humans. The fish advisory threshold values used in the NCCR reports (see Table 1-20) are based on values for adults in the general population who fish recreationally and consume their catch. The EPA guidance also provides information on input values for use in calculating fish advisory threshold values so that they are applicable to more vulnerable populations (e.g., pregnant and nursing women, or young children) as well as to subsistence fishers who typically consume larger quantities of fish from local waterbodies than the general population. The NCA analyzed fish tissues for 81 chemical analytes, 16 of which matched the target analyte list provided in the fish advisory guidance document (U.S. EPA, 2000c). These 16 analytes were the only chemical contaminants monitored by the NCA for which quantifiable surrogate "ecological threshold values" could be calculated to evaluate fish tissue contaminant concentrations. For each analyte, a concentration range was calculated that provided for safe consumption of four 8-oz fish meals per month by a 154-pound adult. For example, the riskbased EPA Avisory Guidance values for mercury ranged from 0.12 to 0.23 ppm of mercury in fish tissue. If the NCA measured a concentration in fish that was less than 0.12 ppm of mercury, then the fish sample analyzed (in the Northeast Coast region) or the monitoring station where fish were caught (in all other regions) was rated good. If the contaminant concentration measured in fish tissue was within the EPA Advisory guidance value range, then the fish sample analyzed or monitoring station where fish were caught was rated fair; and if the mercury concentration exceeded 0.23 ppm, then the fish sample analyzed or monitoring station where fish were caught was rated poor.



References

- Adams, D.A., and S. Benyi. 2003. Sediment Quality of the NY/NJ Harbor System: A 5-year Revisit. An Investigation under the Regional Environmental Monitoring and Assessment Program (REMAP). EPA/902-R-03-002. U.S. Environmental Protection Agency, Region 2, Division of Environmental Science and Assessment, Edison, NJ.
- Adams, D.A., J.S. O'Connor, and S.B. Weisberg. 1998. Final Report: Sediment Quality of the NY/NJ Harbor System—An Investigation under the Regional Environmental Monitoring and Assessment Program (REMAP). EPA/902-R-98-001. U.S. Environmental Protection Agency, Region 2, Division of Environmental Science and Assessment, Edison, NJ.
- Adey, W.H. 1975. The algal ridges and coral reefs of St. Croix: Their structure and Holocene development. *Atoll Research Bulletin 187*:1–67.
- Alaska DCED (Department of Community and Economic Development). 2003. *Alaska Economic Performance Report 2003*. Alaska Department of Community and Economic Development, Division of Community Advocacy, Juneau, AK.
- Alaska DEC (Department of Environmental Conservation). 1999. *Alaska's 1998 FINAL 303(d) List*. Alaska Department of Environmental Conservation, Division of Water, Anchorage, AK.
- Alaska DEC (Department of Environmental Conservation). 2005a. *Environmental Monitoring & Assessment Program Implementation Strategy*. Alaska Department of Environmental Conservation, Division of Water, Anchorage, AK.
- Alaska DEC (Department of Environmental Conservation). 2005b. Water Quality Monitoring & Assessment Strategy. Alaska Department of Environmental Conservation, Division of Water, Anchorage, AK.
- Alaska DEC (Department of Environmental Conservation). 2006. *Current Situation Report for* M/V Selendang Ayu *Grounding*. Situation Report #111 and Final. Alaska Department of Environmental Conservation, Division of Spill Prevention and Response, Prevention and Emergency Response Program, Juneau, AK.
- Alaska DEC (Department of Environmental Conservation). 2007. Fish Monitoring Program. Alaska Department of Environmental Conservation online information. Alaska Department of Environmental Conservation, Division of Environmental Health, State Veterinarian, Anchorage, AK. Available at: http://www.dec.state.ak.us/eh/vet/fish.htm (Accessed September 2007).
- Allard Cox, M. (ed.). 2004. *Public Access to the Rhode Island Coast*. Rhode Island Sea Grant, Narragansett, RI.
- Allen, M.J., R.W. Smith, and V. Raco-Rands. 2001. *Development of Biointegrity Indices for Marine Demersal Fish and Mega Invertebrate Assemblages of Southern California*. Southern California Coastal Water Research Project, Westminster, CA.
- Altieri, A.H., and J.D. Witman. 2006. Local extinction of a foundation species in a hypoxic estuary: Integrating individuals to ecosystem. *Ecology* 87(3):717–730.
- AMAP (Arctic Monitoring and Assessment Programme). 2004a. AMAP Assessment 2002: Persistent Organic Pollutants in the Arctic. Arctic Monitoring and Assessment Programme, Oslo, Norway.

- AMAP (Arctic Monitoring and Assessment Programme). 2004b. Arctic Pollution: Persistent Organic Pollutants; Heavy Metals; Radioactivity; Human Health; and Changing Pathways: 2002. Arctic Monitoring and Assessment Programme, Oslo, Norway.
- Anderson, D.M., and L.H. MacDonald. 1998. Modeling road surface sediment production using a vector geographic information system. *Earth Surface Processes and Landforms 23*:95–107.
- Anderson, R.W., D.A. Carey, Y.T. Chang, T. Grigalunas, M. Luo, B. Marti, P.A. Popko, J.B. Torgan, H. Twichell, W.R. Webster, and S. Whitehouse. 2000. *Commercial Marine Transportation on Narragansett Bay: Status, Trends and Issues*. White paper prepared for Narragansett Bay Summit 2000. Narragansett Bay Estuary Program, Providence, RI.
- Anderson, D.A., B.A. Keafer, D.J. McGillicuddy, M.J. Mickelson, K.E. Keay, P.S. Libby, J.P. Manning, C.A. Mayo, D.K. Whittaker, J.M. Hicky, R. He, D.R. Lynch, and K.W. Smith. 2005. Initial observations of the 2005 *Alexandrium fundyense* bloom in southern New England: General patterns and mechanisms. *Deep-Sea Research II 52*:2856–2876.
- Aquatic Sciences, Inc. 1996. Examination of Aquatic Nuisance Species Introductions to the Great Lakes through Commercial Shipping Ballast Water and Assessment of Control Options, Phase 1 and Phase 2. Final Report, Project E9225/E9285. Aquatic Science, Inc., St. Catherines, ON.
- Ardito, T. 2002. Issues to reckon with: Brayton Point is one of several Bay controversies. *Narragansett Bay Journal 1*(2):1,6–9.
- Ardito, T. 2003. Can we restore the Bay? Narragansett Bay Journal 6(Fall):1,16–17.
- ASMFC (Atlantic States Marine Fisheries Commission). 2000. American Lobster Stock Assessment for Peer Review. Stock Assessment Report No. 00-01 (Supplement). Atlantic States Marine Fisheries Commission Special Report 61. Atlantic States Marine Fisheries Commission, Washington, DC.
- Bacon, C.E., W.M. Jarman, J.A. Estes, M. Simon, and R.J. Norstrom. 1999. Comparison of organochlorine contaminants among sea otter (*Enhdyra lutris*) populations in California and southeast Alaska. *Environmental Toxicology and Chemistry 18*(3):452–458.
- Barron, M.G., R. Heintz, and M.M. Krahn. 2003. Contaminant exposure and effects in pinniped: Implications for Steller sea lion declines in Alaska. *Science of the Total Environment 311*(1–3): 11–33.
- Bergondo, D., D.R. Kester, H.E. Stoffel, and W.L. Woods. 2005. Time series observations during the low sub-surface oxygen events in Narragansett Bay during summer 2001. *Marine Chemistry* 97:90–103.
- Bricker, S.B., C.G. Clement, D.E. Pirhalla, S.P. Orlando, and D.R.G. Farrow. 1999. *National Estuarine Eutrophication Assessment: Effects of Nutrient Enrichment in the Nation's Estuaries*. Prepared for the U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Special Projects Office and the National Centers for Coastal Ocean Science, Silver Spring, MD.
- Burroughs, R. 2000. Narragansett Bay Ecosystem Management: Goals, Trends, and Issues. White paper prepared for Narragansett Bay Summit 2000. Narragansett Bay Estuary Program, Providence, RI.

- Bush, G.W. 2004. Executive Order 13340—Establishment of Great Lakes Interagency Task Force and Promotion of a Regional Collaboration of National Significance for the Great Lakes—May 18, 2004. In: *The American Presidency Project*. J. Woolley and G. Peters, 2007. University of California, Santa Barbara online information. University of California, Santa Barbara, CA. Available at: http://www.presidency.ucsb.edu/ws/?pid=61434 (Accessed May 2007).
- CAST (Council for Agricultural Science and Technology). 1999. *Gulf of Mexico Hypoxia: Land and Sea Interactions*. Task Force Report No. 134. Council for Agricultural Science and Technology, Ames, IA.
- CENR (Committee on the Environment and Natural Resources). 2000. *Integrated Assessment of Hypoxia in the Northern Gulf of Mexico*. National Science and Technology Council, Committee on Environment and Natural Resources, Washington, DC.
- CEQ (Council on Environmental Quality). 2004. U.S. Ocean Action Plan: The Bush Administration's Response to the U.S. Commission on Ocean Policy. Council on Environmental Quality, Committee on Ocean Policy, Washington, DC.
- CH2M Hill, Inc. 1979. A Sediment Reduction Program. Prepared for the Government of the Virgin Islands of the United States, Department of Conservation and Cultural Affairs, St. Thomas, VI.
- Chaillou, J.C., S.B. Weisberg, F.W. Kutz, T.E. DeMoss, L. Mangiaracina, R. Magnien, R. Eskin, J. Maxted, K. Price, and J.K. Summers. 1996. *Assessment of the Ecological Condition of the Delaware and Maryland Coastal Bays*. EPA/620/R-96/004. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- Chary, L.K. 2000. *Persistent Organic Pollutants (POPs) in Alaska: What Does the Science Tell Us?* Circumpolar Conservation Union, Washington, DC.
- Coiro, L., S.L. Poucher, and D. Miller. 2000. Hypoxic effects on growth of *Palaemonetes vulgaris* larvae and other species: Using constant exposure data to estimate cyclic exposure response. *Journal of Experimental Biology and Ecology 247*:243–255.
- Colt, A.B., T. Tyrrell, and V. Lee. 2000. *Marine Recreation and Tourism in Narragansett Bay: Critical Values and Concerns*. White paper prepared for Narragansett Bay Summit 2000. Narragansett Bay Estuary Program, Providence, RI.
- Conaway, C.H., E.B. Watson, J.R. Flanders, and A.R. Flegal. 2003. Report on Mercury Deposition in a Tidal Marsh Downstream of the Historic New Almaden Mining District, California. Submitted to San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Connor, M., J.A Davis, J. Leatherbarrow, and C. Werme. 2004. *Legacy Pesticides in San Francisco Bay: Conceptual Model/Impairment Assessment*. SFEI Contribution #313. Prepared by the San Francisco Estuary Institute, Oakland, CA, for the Clean Estuary Partnership, Oakland, CA.
- Cooksey, C. 2004. NOAA Ship Nancy Foster NF-04-08-CL (March 30–April 11, 2004): Spring 2004 Survey of Ecological Conditions of the U.S. South Atlantic Bight. Cruise Report. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Center for Coastal Environmental Health and Biomolecular Research, Charleston, SC.

- Cooksey, C., R. Fairey, and S. Wilson. 2003. NOAA Ship McArthur II Cruise AR-03-01-NC (June 1–26, 2003): EMAP Summer '03 Survey of Ecological Conditions of the Western U.S. Continental Shelf. Cruise Report. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Center for Coastal Environmental Health and Biomolecular Research, Charleston, SC.
- Cooksey, C., J. Hyland, W.L. Balthis, M. Fulton, G. Scott, and D. Bearden. 2004. Soft-bottom Benthic Assemblages and Levels of Contaminants in Sediments and Biota at Gray's Reef National Marine Sanctuary and Nearby Shelf Waters Off the Coast of Georgia (2000 and 2001). NOAA Tech. Memo. NOS NCCOS 6. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Center for Coastal Environmental Health and Biomolecular Research, Charleston, SC.
- Cox, D.C., and L.C. Gordon, Jr. 1970. *Estuarine Pollution in the State of Hawaii. Vol. 1: Statewide Study.* University of Hawaii at Manoa, Water Resources Research Center, Honolulu, HI.
- Crawley, K., M. Pryor, R. Ribb, S. Kaplan, A. Langhauser, and M. Peck. 2000. *Land Use and Transportation in the Narragansett Bay Watershed: Issues and Challenges*. White paper prepared for Narragansett Bay Summit 2000. Narragansett Bay Estuary Program, Providence, RI.
- Crossett, K.M., T.J. Culliton, P.C. Wiley, and T.R. Goodspeed. 2004. *Population Trends along the Coastal United States:* 1980 2008. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Management and Budget Office, Special Projects, Silver Spring, MD.
- Cunningham, C., and K. Walker. 1996. Enhancing public access to the coast through the CZMA. *Current: The Journal of Marine Education 14*(1):8–12.
- Dahl, T.E. 1990. Wetlands Losses in the United States, 1780s to 1980s. Report to Congress. U.S. Department of the Interior, Fish and Wildlife Service, National Wetlands Inventory Group, St. Petersburg, FL.
- Dahl, T.E. 2002. *Results of the 2000 Wetlands Inventory*. Personal communication from Tom Dahl, U.S. Fish and Wildlife Service, National Wetland Inventory, Madison, WI.
- Dahl, T.E. 2003. *Results of the 2000 National Wetlands Inventory*. Report to Congress. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC.
- Daskalakis, K.D., and T.P. O'Conner. 1994. *Inventory of Chemical Concentrations in Coastal and Estuarine Sediments*. NOAA Technical Memorandum NOS ORCA 76. Prepared for the U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD.
- Davis, J.A., F. Hetzel, and J.J. Oram. 2006. Polychlorinated biphenyls (PCBs) in San Francisco Bay. Pp. 40–52. In: *The Pulse of the Estuary: Monitoring and Managing Water Quality in the San Francisco Estuary*. San Francisco Estuary Institute, Oakland, CA.
- Deacutis, C.F. 2006. Personal communication from Christopher F. Deacutis, Narragansett Bay Estuary Program, to Emaly N. Simone, RTI International. December 6.

- Deacutis, C.F. In press. Evidence of ecological impacts from excess nutrients in upper Narragansett Bay. In: *Ecosystem-Based Management of a Southern New England Estuary: A Case Study of Narragansett Bay.* Rhode Island Sea Grant, Narragansett, RI.
- Deacutis, C.F., D. Murray, W. Prell, E. Saarman, and L. Korhun. 2006. Hypoxia in the upper half of Narragansett Bay, RI, during August 2001 and 2002, in natural and anthropogenic influences on the Mount Hope Bay Ecosystem. *Northeastern Naturalist 13*(Special Issue 4):173–198.
- Dettmann, E.H. 2001. Effect of water residence time on annual export and denitrification of nitrogen in estuaries: A model analysis. *Estuaries* 24:481–490.
- Diaz, R.J., and R. Rosenberg. 1995. Marine benthic hypoxia: A review of its ecological effects and the behavioral responses of benthic macrofauna. *Oceanography and Marine Biology Annual Review* 33:245–303.
- Diaz-Ramos, S., D.L. Stevens, Jr., and A.R. Olsen. 1996. *EMAP Statistical Methods Manual*. EPA/620/R-96/002. U.S. Environmental Protection Agency, Office of Research and Development, Corvallis, OR.
- DiToro, D.M., C.S. Zarba, D.J. Hansen, W.J. Berry, R.C. Swartz, C.E. Cowan, S.P. Pavlou, H.E. Allen, N.A. Thomas, and P.R. Paquin. 1991. Technical basis for establishing sediment quality criteria for nonionic organic chemicals using equilibrium partitioning. *Environmental Toxicology Chemistry* 10:1541–1583.
- Drinkwater, K.F., A. Belgrano, A. Borja, A. Conversi, M. Edwards, C.H. Greene, G. Ottersen, A.J. Pershing, and H. Walker. 2003. The response of marine ecosystems to climate variability associated with the North Atlantic oscillation. Pp. 211–234. In: *The North Atlantic Oscillation: Climate Significance and Environmental Impact*. Geophysical Monograph 134. American Geophysical Union, Washington, DC.
- Ebinghaus, R., C. Temme, S.E. Lindberg, and K.J. Scott. 2004. Springtime accumulation of atmospheric mercury in polar ecosystems. *Journal de Physique IV 121*:195–208.
- Ely, E. 2002. An Overview of Narragansett Bay. Rhode Island Sea Grant, Narragansett, RI.
- Engle, V.D., and J.K. Summers. 1999. Refinement, validation, and application of a benthic condition index for northern Gulf of Mexico estuaries. *Estuaries* 22(3A):624–635.
- Engle, V.D., J.K. Summers, and G.R. Gaston. 1994. A benthic index of environmental condition of Gulf of Mexico estuaries. *Estuaries* 17:372–384.
- Environment Canada and U.S. EPA (Environmental Protection Agency). 2003. State of the Great Lakes 2003. EPA/905-R-03-004. Prepared by Environment Canada, Federal Great Lakes Program, Gatineau, Quebec, and the U.S. Environmental Protection Agency, Great Lakes National Program Office, Chicago, IL.
- Environment Canada and U.S. EPA (Environmental Protection Agency). 2005. State of the Great Lakes 2005. EPA/905-R-06-001. Prepared by Environment Canada, Federal Great Lakes Program, Gatineau, Quebec, and the U.S. Environmental Protection Agency, Great Lakes National Program Office, Chicago, IL.

- Fisher, K.M., A.L. Allen, H.M. Keller, Z.E. Bronder, L.E. Fenstermacher, and M.S. Vincent. 2006.

 Annual Report of the Gulf of Mexico Harmful Algal Bloom Operational Forecast System (GOM HAB-OFS): October 1, 2004 to September 30, 2005. NOAA Tech. Rep. NOS CO-OPS 047.

 U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Center for Operational Oceanographic Products and Services, Silver Spring, MD.
- Florida DEP (Department of Environmental Protection). 2007. *Northwest District—Project GreenShores*. State of Florida online information. Florida Department of Environmental Protection, Northwest District, Tallahassee, FL. Available at: http://www.dep.state.fl.us/northwest/ecosys/section/greenshores.htm (Accessed April 2007).
- FWRI (Fish and Wildlife Research Institute). 2006. FWC Biologists Preliminary 2005 Manatee

 Mortality Data Red Tide Contributes to Second-Highest Mortality Year on Record. Press Release.

 Florida Fish and Wildlife Conservation Commission, Fish and Wildlife Research Institute,

 St. Petersburg, FL.
- FWRI (Fish and Wildlife Research Institute). 2007. *Features*. Florida Fish and Wildlife Conservation Commission online information. Florida Fish and Wildlife Conservation Commission, Fish and Wildlife Research Institute, St. Petersburg, FL. Available at: http://www.floridamarine.org/features/default.asp?id=1018 (Accessed February 2007).
- García-Sais, J., J. Morelock, R. Castro, C. Goenaga, and E. Hernández-Delgado, 2003. Puertorican reefs: Research síntesis, present tretas and management perspectives. Pp. 111–130. In: *Latin American Coral Reefs*. J. Cortéz (ed.). Elsevier Science B.V.
- García-Sais, J., R. Appeldoorn, A. Bruckner, C. Caldow, J.D. Christensen, C. Lilyestrom, M.E. Monaco, J. Sabater, E. Williams, and E. Diaz. 2005. The state of coral reef ecosystems of Puerto Rico. Pp. 91–134. In: *The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2005.* J. Waddell (ed.). NOAA Technical Memorandum NOS NCCOS 11. National Oceanic Atmospheric Administration, National Centers for Coastal Ocean Science, Center for Coastal Monitoring and Assessment's Biogeography Team, Silver Spring, MD.
- Georgia DNR (Department of Natural Resources). 2003. *Georgia's Marsh Dieback*. Online information. Georgia Department of Natural Resources, Coastal Resources Division, Brunswick, GA. Available at: http://crd.dnr.state.ga.us/content/displaycontent.asp?txtDocument=436 (Accessed April 2007).
- GMFMC (Gulf of Mexico Fishery Management Council). 2004a. Final Amendment 22 to the Reef Fish Fishery Management Plan to Set Red Snapper Sustainable Fisheries Act Targets and Thresholds, Set a Rebuilding Plan, and Establish Bycatch Reporting Methodologies for the Reef Fish Fishery. Gulf of Mexico Fishery Management Council, Tampa, FL.
- GMFMC (Gulf of Mexico Fishery Management Council). 2004b. Final Amendment Number 13 to the Fishery Management Plan for the Shrimp Fishery of the Gulf of Mexico, U.S. Waters with Environmental Assessment Regulatory Impact Review and Regulatory Flexibility Act Analysis. Gulf of Mexico Fishery Management Council, Tampa, FL.

- Goolsby, D.A., W.A. Battaglin, G.B. Lawrence, R.S. Artz, B.T. Aulenbach, R.P. Hooper, D.R. Keeney, and G.J. Stensland. 1999. Flux and Sources of Nutrients in the Mississippi-Atchafalaya River Basin: Topic 3 Report for the Integrated Assessment on Hypoxia in the Gulf of Mexico. Decision Analysis Series No. 17. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Coastal Ocean Program, Silver Spring, MD.
- Goolsby, D.A., W.A. Battaglin, B.T. Aulenbach, and R.P. Hooper. 2001. Nitrogen input to the Gulf of Mexico. *Journal of Environmental Quality 30*:329–336.
- Greenfield, B.K., J.A. Davis, R. Fairey, C. Roberts, D. Crane, and G. Ichikawa. 2005. Seasonal, interannual, and long-term variation in sport fish contamination, San Francisco Bay. *Science of the Total Environment* 336(1):25-43.
- Guam Environmental Protection Agency. 2006. 2006 Integrated Report. Guam Environmental Protection Agency, Barrigada, GU.
- Gulf of Mexico Foundation. 2007. Year 2005 Restoration Projects NOAA CRP Restoration Projects Project #4002: GreenShores Site 2, Pensacola, FL. Gulf of Mexico Foundation online information. Gulf of Mexico Foundation, Corpus Christi, TX. Available at: http://www.gulfmex.org/crp4002. html (Accessed April 2007).
- Hagy, J.D. 2002. *Eutrophication, hypoxia and trophic transfer efficiency in Chesapeake Bay*. Ph.D. Dissertation. University of Maryland, College Park, MD.
- Hagy, J.D., W.R. Boynton, C.W. Keefe, and K.V. Wood. 2004. Hypoxia in Chesapeake Bay, 1950–2001: Long-term change in relation to nutrient loading and river flow. *Estuaries 27*(4):634–658.
- Hale, S.S., and J.F. Heltshe. 2008. Signals from the benthos: Development and evaluation of a benthic index for the nearshore Gulf of Maine. *Ecological Indicators* 8:338–350.
- Hammar-Klose, E.S., and E.R. Thieler. 2001. *Coastal Vulnerability to Sea-Level Rise: A Preliminary Database for the U.S. Atlantic, Pacific, and Gulf of Mexico Coasts.* Digital Data Series DDS-68. U.S. Department of the Interior, U.S. Geological Survey, Woods Hole, MA.
- Hansen, L.J., L.H. Schwacke, G.B. Mitchum, A.A. Hohn, R.S. Wells, E.S. Zolman, P.E. Rosel, and P.A. Fair. 2003. Geographic variation in polychlorinated biphenyl and organochlorine pesticide concentrations in the blubber of bottlenose dolphin from the U.S. Atlantic Coast. *Science of the Total Environment* 319:147–72.
- Harvey, J., L. Harwell, and J.K. Summers. 2008. Contaminant concentrations in whole-body fish and shellfish from U.S. estuaries. *Environmental Monitoring and Assessment 137*:403-412.
- Hieb, K., M. Bryant, M. Dege, T. Greiner, S. Slater, and K. Souza. 2005. Fishes in the San Francisco Estuary, 2004 status and trends. *IEP Newsletter 18*(2):19–36.
- Homer, C., C. Huang, L. Yang, B. Wylie, and M. Coan. 2004. Development of a 2001 national land-cover database for the United States. *Photogrammetric Engineering and Remote Sensing 70*(7): 829-840.
- Hood, D.W., and S. Zimmerman (ed.). 1986. The Gulf of Alaska: Physical Environment and Biological Resources. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Washington, DC.

- Hoover, D., and C. Gold. 2005. Assessment of Coastal Water Resources and Watershed Conditions at Kaloko-Honokohau National Historical Park, Hawaii. Technical Report NPS/NRWRD/NRTR-2005/344. U.S. Department of the Interior, National Park Service, Water Resources Division, Fort Collins, CO.
- Houde, M., R. Wells, P. Fair, G. Bossart, A. Hohn, T. Rowles, J. Sweeney, K. Solomon, and D. Muir. 2005. Polyfluoroalkyl compounds in free-ranging bottlenose dolphins (*Tursiops truncatus*) from the Gulf of Mexico and the Atlantic Ocean. *Environmental Science and Technology 39*: 6591–6598.
- Houghton, J.T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.). 2001. Climate Change 2001: The Scientific Basis. Prepared by Contribution of Working Group 1 to the 3rd Assignment Report of the Intergovernmental Panel on Climate Change. Published by Cambridge University Press, Cambridge, UK, and New York, NY.
- Hubbard, D.K., E.H. Gladfelter, and J.C. Bythell. 1993. Comparison of biological and geological perspectives of coral-reef community structure at Buck Island, U.S. Virgin Islands. Pp. C13–C19. In: *Proceedings of the Colloquium on Global Aspects of Coral Reefs: Health Hazards and History, 1993*. Rosentiel School of Marine and Atmospheric Sciences, University of Miami.
- Hyland, J., C. Cooksey, W.L. Balthis, M. Fulton, D. Bearden, G. McFall, and M. Kendall. 2006. The soft-bottom macrobenthos of Gray's Reef National Marine Sanctuary and nearby shelf waters off the coast of Georgia, USA. *Journal of Experimental Marine Biology and Ecology 330*:307–326.
- IEP (Interagency Ecological Program). 2006. *CA Department of Water Resources Interagency Ecological Program (I.E.P.)*. California Department of Water Resources online information. California Department of Water Resources, Interagency Ecological Program, Sacramento, CA. Available at: http://www.iep.ca.gov/ (Accessed June 2006).
- Ingersoll, C.G., S.M. Bay, J.L. Crane, L.J. Field, T.H. Gries, J.L. Hyland, E.R. Long, D.D. MacDonald, and T.P. O'Connor. 2005. Ability of SQGs to estimate effects of sediment-associated contaminants in laboratory toxicity tests or in benthic community assessments. In: R.J. Wenning, G.E. Batley, C.G. Ingersoll, and D.W. Moore, (eds). *Use of Sediment Quality Guidelines & Related Tools for the Assessment of Contaminated Sediments (SQG)*. SETAC Press, Pensacola, FL.
- IRF (Island Resource Foundation). 1999. Abbreviated 1998 Water Quality Assessment of the United States Virgin Islands. Submitted to the U.S. Environmental Protection Agency, Washington, DC, by the Government of the Virgin Islands of the United States, Department of Planning and Natural Resources, Division of Environmental Protection, St. Thomas, VI.
- Jeffrey, C.F.G., U. Anlauf, J. Beets, S. Caseau, W. Coles, A. Friedlander, S. Herzlieb, Z. Hillis-Starr, M. Kendall, V. Mayor, J. Miller, R. Nemeth, C. Rogers, and W. Toller. 2005. The state of coral reef ecosystems in the U.S. Virgin Islands. Pp. 45–90. In: *The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2005*. J. Waddell (ed.). NOAA Technical Memorandum NOS NCCOS 11. National Oceanic Atmospheric Administration, National Centers for Coastal Ocean Science, Center for Coastal Monitoring and Assessment's Biogeography Team, Silver Spring, MD.

- Johengen, T., D.F. Reid, G.L. Fahnenstiel, H.J. MacIssac, F.C. Dobbs, M. Doblin, G. Ruiz, and P.T. Jenkins. 2005. A Final Report for the Project "Assessment of Transoceanic NOBOB Vessels and Low-Salinity Ballast Water as Vectors for Non-indigenous Species Introductions to the Great Lakes." U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Great Lakes Environmental Research Laboratory, Ann Arbor, MI, and the University of Michigan, Cooperative Institute for Limnology and Ecosystems Research, Ann Arbor, MI.
- Keller, A.A., and G. Klein-MacPhee. 2000. Impact of elevated temperature on the growth, survival, and trophic dynamics of winter flounder larvae: A mesocosm study. *Canadian Journal of Fisheries and Aquatic Sciences* 57(12):2382–2392.
- Kemp, W.M., W.R. Boynton, J.E. Adolf, D.F. Boesch, W.C. Boicourt, G. Brush, J.C. Cornwell, T.R. Fisher, P.M. Gilbert, J.D. Hagy, L.W. Harding, E.D. Houde, D.G. Kimmel, W.D. Miller, R.I.E. Newell, M.R. Roman, E.M. Smith, and J.C. Stevenson. 2005. Eutrophication of Chesapeake Bay: Historical trends and ecological interactions. *Marine Ecology Progress Series* 303:1–29.
- Kerans, B.L., and J.R. Karr. 1994. A benthic index of biotic integrity (B-IBI) for rivers of the Tennessee Valley. *Ecological Applications* 4:768–785.
- King, J.E. 1983. Northern phocids. Pp. 79–85. In: *Seals of the World*, 2nd edition. British Museum (Natural History) London, Cornell University Press, Ithaca, NY.
- LACSD (Los Angeles County Sanitation Districts). 2006. *Palos Verdes Ocean Monitoring Annual Report*, 2005. Los Angeles County Sanitation Districts, Whittier, CA.
- Larrance, J.D., D.A. Tennant, A.J. Chester, and P.A. Ruffino. 1977. Phytoplankton and primary productivity in the northeast Gulf of Alaska and Lower Cook Inlet final report. *National Oceanic and Atmospheric Administration/Environmental Assessment of the Alaskan Continental Shelf Annual Reports of Principal Investigators* 10(1977):1–136.
- Larsen, P.F., A.C. Johnson, and L.F. Doggett. 1983. *Environmental Benchmark Studies in Casco Bay—Portland Harbor, Maine, April 1980.* NOAA Technical Memorandum NMFS-F/NEC-19. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Center, Woods Hole, MA.
- Lauenstein, G.G., E.A. Crecelius, and A.Y. Cantillo. 2000. *Baseline Metal Concentrations of the U.S. West Coast and Their Use in Evaluating Sediment Contamination*. Presented at the Society for Environmental Toxicology and Chemistry Annual Meeting, Nashville, TN, November 12–15.
- Lawton, W. 2006. *Marine Ecology: "Dead Zone" Summer Killed Billions of Ocean State Mussels*. Brown University online information. Brown University, Office of Media Relations, Providence, RI. April 11, 2006. Available at: http://www.brown.edu/Administration/News_Bureau/2005-06/05-108.html (Accessed 2006).
- Leeworthy, V.R. 2000. Preliminary Estimates from Versions 1–6: Coastal Recreation Participation, National Survey on Recreation and the Environment (NSRE). U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Oceans and Coasts, Special Projects Office, Silver Spring, MD.

- Leeworthy, V.R., and P.C. Wiley. 2001. *Current Participation Patterns in Marine Recreation, National Survey of Recreation and the Environment (NSRE) 2000*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Special Projects, Silver Spring, MD.
- Lefkovitz, L.F., V.I. Cullinan, and E.A. Crecelius. 1997. Historical Trends in the Accumulation of Chemicals in Puget Sound. NOAA Tech. Memo. NOS ORCA 111. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD.
- Lenihan, H.S., and C.H. Peterson. 1998. How habitat degradation through fishery disturbance enhances impacts of hypoxia on oyster reefs. *Ecological Applications* 8:128–140.
- Liberman, E. 2005. Give 'em the slip. Rhode Island Monthly May:25-26
- Lipsky, A. 2003. From shucking houses to seeding machines, restoring the bay's eelgrass. *Narragansett Bay Journal 6*(Fall):8.
- Livingston, P.A., and T.K. Wilderbuer. 2007. What is the Impact of the Ecosystem on Fishery Resources in the Bering Sea? National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Fisheries-Oceanography Investigations Program, Seattle WA. Available at: http://www.beringclimate.noaa.gov/essays_livingston.html (Accessed May 2007).
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management* 19(1):81–97.
- Long, E.R., A. Robertson, D.A. Wolfe, J. Hameedi, and G.M. Sloane. 1996. Estimates of the spatial extent of sediment toxicity in major U.S. estuaries. *Environmental Sciences & Technology* 30:3585–3592.
- Long, E.R., J. Hameedi, A. Robertson, M. Dutch, S. Aasen, K. Welch, S. Magoon, R. Carr, T. Johnson, J. Biedenbach, K. Scott, C. Mueller, and J. Anderson. 2000. Sediment Quality in Puget Sound: Year 2, Central Puget Sound. NOS NCCOS CCMA Technical Memo No. 147 and Ecology Publication No. 00-03-055. National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD; and Washington State Department of Ecology, Olympia, WA.
- Loope, L.L. 1998. Hawaii and Pacific Islands. In: *Status and Trends of the Nation's Biological Resources*. M.J. Mac, P.A. Opler, C.E. Puckett Haecker, and P.D. Doran (eds.). U.S. Department of the Interior, U.S. Geological Survey, Reston, VA.
- Lynch, T.R. 2005. Assessment of Recreationally Important Finfish Stocks in Rhode Island Waters Coastal Fishery Resource Assessment Trawl Survey 1979 to Present. Database output. Rhode Island Department of Environmental Management, Division of Fish & Wildlife, Marine Fisheries, Jamestown, RI.
- Lynch, T.R. 2006. Personal communication from Timothy R. Lynch, Rhode Island Department of Environmental Management, to David Whitall, NOAA. December.

- Macauley, J.M., J.K. Summers, and V.D. Engle. 1999. Estimating the ecological condition of the estuaries of the Gulf of Mexico. *Environmental Monitoring and Assessment* 57:59–83.
- Macauley, J.M., L.C. Harwell, and H.V. Alafita. 2007. The ecological condition of Veracruz, Mexico estuaries. *Environmental Monitoring and Assessment* 133(1–3):177–85.
- Mahler, B., P. Van Metre, and E. Callender. 2004. *National-Scale Trends in Metals in Urban and Reference Lake Sediment Cores, 1975 to Present*. Abstract and oral presentation at The Society of Environmental Toxicology and Chemistry, 25th Annual Meeting in North America.
- Mahler, B.J., P.C. Van Metre, T.J. Bashara, J.T. Wilson, and D. A. Johns. 2005. Parking lot sealcoat: An unrecognized source of urban polycyclic aromatic hydrocarbons. *Environmental Science & Technology* 39(15):5560–5566.
- May, E.B. 1973. Extensive oxygen depletion in Mobile Bay, Alabama. *Limnology and Oceanography* 18:353–366.
- McRae, G. 2006. Personal communications from G. McRae, Florida Fish & Wildlife Research Institute, to Virginia Engle, U.S. EPA/ORD via phone and e-mail. May 2006.
- Meier, K., J. P. Laurel, and J. E. Maragos. 1993. Hawaii (USA). In: *A Directory of Wetlands in Oceania*. D.A. Scott (ed.). IWRB, Slimbridge, U.K. and AWB, Kuala Lumpur, Malaysia.
- Mississippi-Alabama Sea Grant Consortium and Mobile Bay NEP (National Estuary Program). 2007. *Mississippi-Alabama Habitat Database*. Mobile Bay National Estuary Program online information. Mobile Bay National Estuary Program, Mobile, AL. Available at: http://restoration.disl.org/www/ (Accessed April 2007).
- MMS (Minerals Management Service). 1995. Cook Inlet Planning Area Oil and Gas Lease Sale 149: Final Environmental Impact Statement. MMS 95-0066. U.S. Department of the Interior, Minerals Management Service, Alaska Outer Continental Shelf Region, Anchorage, AK.
- Mobile Bay NEP (National Estuary Program). 2002. *Comprehensive Conservation and Management Plan, Volume I A Call to Action*. Mobile Bay National Estuary Program, Mobile, AL.
- Monbet, Y. 1992. Control of phytoplankton biomass in estuaries: A comparative analysis of microtidal and macrotidal estuaries. *Estuaries* 15(4):563–571.
- MRLC (Multi-resolution Land Characteristics) Consortium. 2007. *MRLC Consortium*. Online information. U.S. Department of the Interior, U.S. Geological Survey, Multi-resolution Land Characteristics Consortium, Sioux Falls, SD. Available at: http://www.mrlc.gov/index.asp (Accessed March 2007).
- NAS (National Academy of Sciences). 2001. Compensating for Wetland Losses Under the Clean Water Act. Prepared by the Committee on Mitigating Wetland Losses, National Research Council, National Academy of Sciences. Published by National Academy Press, Washington, DC.
- National Safety Council. 1998. *Coastal Challenges: A Guide to Coastal and Marine Issues*. National Safety Council, Environmental Health Center, Washington, DC.
- NBEP (Narragansett Bay Estuary Program). 2002. More boats in R.I. Narragansett Bay Journal 1(2):9.

- NBEP (Narragansett Bay Estuary Program). 2006. *Narragansett Bay Estuary Program*. Narragansett Bay Estuary Program online information. Narragansett Bay Estuary Program, Providence, RI. Available at: http://www.nbep.org/ (Accessed November 2006).
- NEFSC (Northeast Fisheries Science Center). 2001. TRAC Advisory Report on Stock Status A report of the Fourth Meeting of the Transboundary Resources Assessment Committee (TRAC), St. Andrews Biological Station, St. Andrews, New Brunswick, April 17–20, 2001. Northeast Fisheries Science Center Ref. doc. 01-08. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA.
- NEFSC (Northeast Fisheries Science Center). 2002. Assessment of 20 Northeast Groundfish Stocks through 2001 A Report of the Groundfish Assessment Review Meeting (GARM), Northeast Fisheries Science Center, Woods Hole, Massachusetts, October 8–11, 2002. Northeast Fisheries Science Center Reference Document 02-16. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA.
- Nelson, W.G., R. Brock, H. Lee, J.O. Lamberson, and F. Cole. 2007. *Condition of Estuaries and Bays of Hawaii for 2002: A Statistical Summary*. EPA/620-R-07/001. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- Nemeth, R. 2005. Population characteristics of a recovering U.S. Virgin Island red hind spawning aggregation following protection. *Marine Ecology Progress Series 286*:81–97.
- NERRS (National Estuarine Research Reserve System). 2003. *National Estuarine Research Reserve System Strategic Plan 2003–2008*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Office of Ocean and Coastal Resource Management, Silver Springs, MD.
- NIST (National Institute of Standards and Technology). 2004. *Data on PCB concentrations in dolphins measured during an unusual mortality event in St. Joseph Bay, Florida in 2004*. Unpublished. National Institute of Standards and Technology, National Marine Analytical Quality Assurance Program, Charleston, SC.
- Nixon, S.W. 1995. *Metal Inputs to Narragansett Bay: A History and Assessment of Recent Conditions*. Rhode Island Sea Grant, Narragansett, RI.
- Nixon, S.W., J.W. Ammerman, L.P. Atkinson, V.M. Berounsky, G. Billen, W.C. Boicourt, W.R. Boynton, T.M. Church, D.M. DiToro, R. Elmgren, J.H. Garber, A.E. Giblin, R.A. Jahnke, N.J.P. Owens, M.E.Q. Pilson, and S.P. Seitzinger. 1996. The fate of nitrogen and phosphorus at the land-sea margin of the North Atlantic Ocean. *Biogeochemistry 35*:141–180.
- Nixon, S.W., S. Granger, B.A. Buckley, M.L. Lamont, and B. Rowell. 2004. A one hundred and seventeen year coastal water temperature record from Woods Hole, Massachusetts. *Estuaries* 27(3):397–404.
- Nixon, S., B. Buckley, S. Granger, L. Harris, A. Oczkowski, L. Cole, and R. Fulweiler. 2005. *Anthropogenic Nutrient Inputs to Narragansett Bay: A Twenty-five Year Perspective*. Prepared by University of Rhode Island, Graduate School of Oceanography. Prepared for Narragansett Bay Commission, Providence, RI, and Rhode Island Sea Grant, Narragansett, RI.

- NMFS (National Marine Fisheries Service). 1999. Our Living Oceans: Report on the Status of U.S. Living Marine Resources, 1999. NOAA Tech. Memo. NMFS-F/SPO-41. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). 2002. Fisheries of the United States 2001. Current Fishery Statistics, No. 2001. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). 2003. Fisheries of the United States 2002. Current Fishery Statistics, No. 2002. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). 2004. Fisheries of the United States 2003. Current Fishery Statistics, No. 2003. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). 2005a. 2004 Report to Congress: The Status of U.S. Fisheries. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Sustainable Fisheries, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). 2005b. *Biennial Report to Congress on the Recovery Program for Threatened and Endangered Species: October 1, 2002–September 30, 2004*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources, Silver Springs, MD.
- NMFS (National Marine Fisheries Service). 2005c. Fisheries of the United States 2004. Current Fishery Statistics, No. 2004. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). 2006. *Interim Endangered and Threatened Species Recovery Planning Guidance*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Springs, MD.
- NMFS (National Marine Fisheries Service). 2007. Fisheries of the United States 2006. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- NMFS (National Marine Fisheries Service). In press. *Our Living Oceans: Report on the Status of U.S. Living Marine Resources*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- NOAA (National Oceanic and Atmospheric Administration). 1988. Fishery resource assessment programs and Large Marine Ecosystems, Folio Map No. 7. In: *A National Atlas: Health and Use of Coastal Waters, United States of America*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Office of Oceanography and Marine Assessment, Rockville, MD.

- NOAA (National Oceanic and Atmospheric Administration). 1995. NOAA Coastal Change Analysis Program (C-CAP): Guidance for Regional Implementation. NOAA Technical Report NMFS 123. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Washington, DC.
- NOAA (National Oceanic and Atmospheric Administration). 1998. NOAA's Estuarine Eutrophication Survey—Volume 5: Pacific Coast Region. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Office of Ocean Resources Conservation and Assessment, Silver Springs, MD.
- NOAA (National Oceanic and Atmospheric Administration). 2003a. Final Report: Assessment of Contaminant Concentrations in Tissues of Bottlenose Dolphins (Tursiops truncatus) in Florida Bay. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Center for Coastal Environmental Health and Biomolecular Research, Charleston, SC.
- NOAA (National Oceanic and Atmospheric Administration). 2003b. *Pacific Coast Land Cover 2000-ERA Land Cover/Land Use*. Data set. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Coastal Services Center, Charleston, SC.
- NOAA (National Oceanic and Atmospheric Administration). 2004a. *Lake Erie Research Planning Workshop, March 4–5, 2004, GLERL/NOAA Ann Arbor, MI.* U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Great Lakes Environmental Research Laboratory, Ann Arbor, MI.
- NOAA (National Oceanic and Atmospheric Administration). 2004b. *National Marine Sanctuaries:*A Monitoring Framework for the National Marine Sanctuary System. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Marine Sanctuary Program, Silver Spring, MD.
- NOAA (National Oceanic and Atmospheric Administration). 2004c. *News- Plankton Boost Detected in Northern Ocean Water off the U.S.* Press Release. U.S. Department of Commerce, National Oceanographic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Woods Hole, MA. October 5.
- NOAA (National Oceanic and Atmospheric Administration). 2005a. *Commercial Fishery Landings Database*. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Office of Science and Technology, National Marine Fisheries Service, Fisheries Statistics Division, Silver Spring, MD. Available at: http://www.st.nmfs.gov/st1/commercial (Accessed December 2005).
- NOAA (National Oceanic and Atmospheric Administration). 2005b. CSCOR Sponsored Research Cruise Documents Low Oxygen and Animal Mortalities Associated with Florida Toxic Algal Bloom. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Center for Sponsored Coastal Ocean Research, Silver Spring, MD.
- NOAA (National Oceanic and Atmospheric Administration). 2005c. *Gulf of Mexico Harmful Algal Bloom Bulletin—20 October 2005*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Environmental Satellite, Data, and Information Service, Silver Spring, MD.

- NOAA (National Oceanic and Atmospheric Administration). 2005d. *Marine Recreational Fishery Statistics Survey Database*. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Office of Science and Technology, National Marine Fisheries Service, Fisheries Statistics Division, Silver Spring, MD. Available at: http://www.st.nmfs.gov/st1/recreational (Accessed December 2005).
- NOAA (National Oceanic and Atmospheric Administration). 2006a. *International Field Years on Lake Erie*. Fact Sheet. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Great Lakes Environmental Research Laboratory, Ann Arbor, MI.
- NOAA (National Oceanic and Atmospheric Administration). 2006b. *Latest Tests of NOAA Gulf Fish Surveys Show No Negative Impact on Seafood Quality*. Press Release. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD. January.
- NOAA (National Oceanic and Atmospheric Administration). 2006c. NOAA Fisheries: Office of Protected Resources. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources, Silver Spring, MD. Available at: http://www.nmfs.noaa.gov/pr/contact.htm (Accessed July 2006).
- NOAA (National Oceanic and Atmospheric Administration). 2007a. Bering Climate—A Current View of the Bering Sea Ecosystem and Climate. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Fisheries-Oceanography Investigations Program, Seattle, WA. Available at: http://www.beringclimate.noaa.gov/ (Accessed May 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007b. CEP Project #02E0052. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Centers for Coastal Ocean Science, Center for Coastal Environmental Health and Biomolecular Research, Charleston, SC. Available at: http://www.chbr.noaa.gov/default.aspx?category=cep&pageName=project%2002E00052 (Accessed September 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007c. Fisheries Management: Building a Sustainable Future for America's Fisheries. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Washington, DC. Available at: http://celebrating200years.noaa.gov/visions/fisheries/welcome.html (Accessed July 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007d. *Gerry E. Studds Stellwagen Bank National Marine Sactuary Condition Report 2007*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Sanctuary Program, Silver Spring, MD.

- NOAA (National Oceanic and Atmospheric Administration). 2007e. *Harmful Algal Bloom Forecasting System*. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Environmental Satellite, Data, and Information Service, Silver Spring, MD. Available at: http://www.csc.noaa.gov/crs/habf (Accessed February 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007f. *International Field Years on Lake Erie (IFYLE)*. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Great Lakes Environmental Research Laboratory, Ann Arbor, MI. Available at: http://www.glerl.noaa.gov/ifyle/ (Accessed May 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007g. *Large Marine Ecosystems—Information Portal*. Online information hosted by the University of Rhode Island. Information prepared by U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center, Narragansett, RI. Available at: http://woodsmoke.edc.uri.edu/Portal/ptk (Accessed May 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007h. *National Marine Sanctuaries Monitoring*. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Sanctuary Program, Silver Spring, MD. Available at: http://sanctuaries.noaa.gov/science/monitoring/welcome.html (Accessed March 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007i. *U.S. Climate at a Glance*. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Satellite and Information Service, National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Asheville, NC. Available at: http://www.ncdc.noaa.gov/oa/climate/research/cag3/cag3.html (Accessed April 2007).
- NOAA (National Oceanic and Atmospheric Administration). 2007j. Worst New England Harmful Algal Bloom in 30 Years. National Oceanic and Atmospheric Administration online information. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Center for Sponsored Coastal Ocean Research, Silver Spring, MD. Available at: http://www.cop.noaa.gov/news/fs/ne_hab_200505.html (Accessed March 2007).
- Nowlin, W.D. 2001. Developing the U.S. Sustained and Integrated Ocean Observing System. Ocean.US, Arlington, VA.
- NPFMC (North Pacific Fishery Management Council). 2000a. Amendment 11 to the Fishery Management Plan for Bering Sea/Aleutian Islands King and Tanner Crabs. Prepared by the North Pacific Fishery Management Council, Anchorage, AK, for the U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Alaska Region, Sustainable Fisheries Division, Juneau, AK.

- NPFMC (North Pacific Fishery Management Council). 2000b. Amendment 15 to the Fishery Management Plan for Bering Sea/Aleutian Islands King and Tanner Crabs. Prepared by the North Pacific Fishery Management Council, Anchorage, AK, for the U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Alaska Region, Sustainable Fisheries Division, Juneau, AK.
- NRDC (National Resources Defense Council). 2005. *Testing the Waters: A Guide to Water Quality at Vacation Beaches*. National Resources Defense Council, New York, NY.
- NWFSC (Northwest Fisheries Science Center). 2006. West Coast Groundfish Observer Manual.

 U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northwest Fisheries Science Center, Seattle, WA.
- NWQMC (National Water Quality Monitoring Council). 2006. A National Water Quality Monitoring Network for U.S. Coastal Waters and Their Tributaries. U.S. Department of the Interior, U.S. Geological Survey, Advisory Committee on Water Information, National Water Quality Monitoring Council, Providence, RI.
- O'Connor, T.P., and J.F. Paul. 2000. Misfit between sediment toxicity and chemistry. *Marine Pollution Bulletin 40*:59–64.
- O'Connor, T.P., K.D. Daskalakis, J.L. Hyland, J.F. Paul, and J.K. Summers. 1998. Comparisons of sediment toxicity with predictions based on chemical guidelines. *Environmental Toxicology and Chemistry* 17(3):468–471.
- Ocean.US. 2002. An Integrated and Sustained Ocean Observing System (IOOS) For the United States: Design and Implementation. Ocean.US, Arlington, VA.
- Ocean.US. 2005a. Data Management and Communications Plan for Research and Operational Integrated Ocean Observing Systems. Ocean.US. Publication No. 6. Ocean.US, Arlington, VA.
- Ocean.US. 2005b. *National Office for Integrated and Sustained Ocean Observations: Ocean.US*. Ocean.US online information. Ocean.US, Arlington, VA. Available at: http://www.ocean.us (Accessed January 2006).
- Ocean.US. 2006. The First U.S. Integrated Ocean Observing System (IOOS) Development Plan: A Report of the National Ocean Research Leadership Council and the Interagency Committee on Ocean Science and Resource Management Integration. Ocean.US Publication No. 9. Ocean.US, Arlington, VA.
- Officer, C.B., T.J. Smayda, and R. Mann. 1982. Benthic filter-feeding: A natural eutrophication control. *Marine Ecology Progress Series 9*:203–210.
- Olsen, A.R., J. Sedransk, D. Edwards, C.A. Gotway, W. Liggett, S. Rathburn, K.H. Reckhow, and L.J. Yyoung. 1999. Statistical issues for monitoring ecological and natural resources in the United States. *Environmental Monitoring and Assessment 54*:1–45.
- Overland, J.E., and P.J. Stabeno. 2004. Is the climate of the Bering Sea warming and affecting the ecosystem? *Eos, Transactions, American Geophysical Union 85*(33):309–316.
- Oviatt, C., S. Olsen, M. Andrews, J. Collie, T. Lynch, and K. Raposa. 2003. A century of fishing and fish fluctuations in Narragansett Bay. *Reviews of Fisheries Science* 11(3):221–242.

- Owen, B., and S. White (eds.). 2005. *National Estuarine Research Reserve System 10th Anniversary Report on the System-wide Monitoring Program (SWMP) Data Applications: 1995–2005*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Office of Ocean and Coastal Resource Management, Silver Springs, MD.
- Paerl, H.W., J.L. Pinckney, J.M. Fear, and B.L. Peierls. 1998. Ecosystem responses to internal and watershed organic matter loading: Consequences for hypoxia in the eutrophying Neuse River Estuary, North Carolina, USA. *Marine Ecology Progress Series* 166:17–25.
- Parrish, F.A., K. Abernathy, G.J. Marshal, and B.M. Buhleier. 2002. Hawaiian monk seals (*Monachus schauinslandi*) foraging in deep-water coral beds. *Marine Mammal Science* 18(1).
- Partridge, V., K. Welch, S. Aasen, and M. Dutch. 2005. *Temporal Monitoring of Puget Sound Sediments: Results of the Puget Sound Ambient Monitoring Program, 1989–2000*. Ecology Publication No. 05-03-016. Washington State Department of Ecology, Olympia, WA.
- Paul, J.F., J.H. Gentile, K.J. Scott, S.C. Schimmel, D.E. Campbell, and R.W. Latimer. 1999. *EMAP-Virginian Province Four-Year Assessment (1990–93)*. EPA/620-R-99-004. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- Paul, J.F., K.J. Scott, D.E. Campbell, J.H. Gentile, C.S. Strobel, R.M. Valente, S.B. Weisberg, A.F. Holland, and J.A. Ranasinghe. 2001. Developing and applying a benthic index of estuarine condition for the Virginian Province. *Ecological Indicators* 1:83–99.
- PFMC (Pacific Fishery Management Council). 1998. Amendment 8 to the Northern Anchovy Fishery Management Plan Incorporating a Name Change to The Coastal Pelagic Species Fishery Management Plan. Pacific Fishery Management Council, Portland, OR.
- PFMC (Pacific Fishery Management Council). 2006. Pacific Coast Groundfish Management Plan for the California, Oregon, and Washington Groundfish Fishery As Amended Through Amendment 19 (Including Amendment 16-4). Pacific Fishery Management Council, Portland, OR.
- Rabalais, N.N., R.E. Turner, D. Justiç, Q. Dortch, and W.J. Wiseman, Jr. 1999. *Characterization of Hypoxia: Topic 1 Report for the Integrated Assessment on Hypoxia in the Gulf of Mexico*. Decision Analysis Series No. 15. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Coastal Ocean Program, Silver Spring, MD.
- Rabalais, N.N., R.E. Turner, and W.J. Wiseman, Jr. 2002. Gulf of Mexico hypoxia, a.k.a. "The Dead Zone." *Annual Review of Ecology and Systematics* 33:235–263.
- Rhode Island CRMC (Coastal Resources Management Council). 1996. *Coastal Resources Management Program, As Amended (a.k.a. the "Red Book")*. Rhode Island Coastal Resources Management Council, Wakefield, RI.
- Rhode Island Department of Administration. 2000. *Rhode Island Land Use Trends and Analysis* (Including Land Use Surveys for the Period 1970–1995). Technical Paper 149. Rhode Island Department of Administration, Division of Planning, Statewide Planning Program, Providence, RI.

- RIDEM (Rhode Island Department of Environmental Management). 2005a. *Bay Assessment & Response Team (BART)—Fishing in Narragansett Bay, Providence, RI.* Rhode Island Department of Environmental Management online information. Rhode Island Department of Environmental Management, Bay Assessment & Response Team, Providence, RI. Available at: http://www.dem.ri.gov/bart/fishing.htm (Accessed December 2005).
- RIDEM (Rhode Island Department of Environmental Management). 2005b. *Plan for Managing Nutrient Loadings to Rhode Island Waters*. Rhode Island Department of Environmental Management, Providence, RI.
- RIDEM (Rhode Island Department of Environmental Management). 2005c. *Rhode Island Public Boat Launching Sites*. Rhode Island Department of Environmental Management online information. Rhode Island Department of Environmental Management, Division of Fish and Wildlife, Providence, RI. Available at: http://www.dem.ri.gov/programs/bnatres/fishwild/boatlnch.htm (Accessed December 2005).
- RIDOH (Rhode Island Department of Health). 2005. *Beach Water Quality Monitoring*. Rhode Island Department of Health online information. Rhode Island Department of Health, Bathing Beaches Monitoring Program, Providence, RI. Available at: http://www.ribeaches.org (Accessed December 2005).
- Ries, K.G., III. 1990. Estimating Surface-Water Runoff to Narragansett Bay, Rhode Island and Massachusetts. Water Resources Investigation Report 89-4164. U.S. Department of the Interior, U.S. Geological Survey, Providence, RI.
- Riggs, S.R. 2001. *Shoreline Erosion in North Carolina Estuaries*. North Carolina Sea Grant Publication UNC-SG-1-11. North Carolina Sea Grant, Raleigh, NC.
- Rohmann, S.O., J.J. Hayes, R.C. Newhall, M.E. Monaco, and R.W. Grigg. 2005. The area of potential shallow-water tropical and subtropical coral ecosystems in the United States. *Coral Reefs* 24(3):370–383.
- Rosenberg, R., M. Blomqvist, H.C. Nilsson, H. Cederwall, and A. Dimming. 2004. Marine quality assessment by use of benthic species-abundance distributions: A proposed new protocol with in the European Union Water Framework Directive. *Marine Pollution Bulletin* 49:728–739.
- Rosenkranz, G.E., A.V. Tyler, G.H. Kruse, and H.J. Niebauer. 1998. Relationship between wind and year-class strength of Tanner crabs in Southeastern Bering Sea. *Fishery Research Bulletin* 5(11):18–24.
- Rosenkranz, G.E., A.V. Tyler, and G.H. Kruse. 2001. Effects of water temperature and wind on year-class success of Tanner crabs in Bristol Bay, Alaska. *Fisheries Oceanography* 10(1):1–12.
- SAFMC (South Atlantic Fishery Management Council). 2005. Final Amendment 6 to the Fishery Management Plan for the Shrimp Fishery of the South Atlantic Region. South Atlantic Fishery Management Council, Charleston, SC.
- Sambrotto, R.N., and C.J. Lorenzen. 1986. Phytoplankton and primary production. Chapter 9, pp. 249–284. In: *The Gulf of Alaska: Physical Environment and Biological Resources*. D.W. Hood and S.T. Simmerman (eds.). University of Washington Press, Seattle, WA.

- Samons, J. 2002. Cleaner waters in pipeline, \$550 million project launched. *Narragansett Bay Journal* 1(1):1, 4.
- Saupe, S., J. Gendron, and D. Dasher. 2005. AKMAP—Alaska Monitoring and Assessment Program:

 The condition of Southcentral Alaska's Bays and Estuaries Technical Report and Statistical Summary.

 Alaska Department of Environmental Conservation, Fairbanks, AK.
- Save the Bay, Inc. 2006. *Save The Bay—Narragansett Bay*. Save the Bay, Inc., online information. Save the Bay, Inc., Providence, RI. Available at: http://www.savebay.org/ (Accessed April 2006).
- SCCWRP (Southern California Coastal Water Research Project). 1998. Southern California Bight 1994 Pilot Project. Volumes I–V. Southern California Coastal Water Research Project, Westminster, CA.
- Scholin, C.A., F. Gulland, G.J. Doucette, S. Benson, M. Busman, F.P. Chavez, J. Cordaro,
 R.D. DeLong, A. Vogelaere, J. Harvey, M. Haulena, K. Lefebvre, T. Lipscomb, S. Loscutoff,
 L.J. Lowenstine, R. Marin, III, P.E. Miller, W.A. McLellan, P.D.R. Moeller, C.L. Powell,
 T. Rowles, P. Silvagni, M. Silver, T. Spraker, V. Trainer, and F.M.Van Dolah. 2000. Mortality of
 sea lions along the central California coast linked to a toxic diatom bloom. *Nature* 403:80–84.
- Schwacke, L.H., E.O. Voit, L.J. Hansen, R.S. Wells, G.B. Mitchum, A.A. Hohn, and P.A. Fair. 2002. Probabilistic risk assessment of reproductive effects of polychorinated biphenyls on bottlenose dolphins (*Tursiops truncatus*) from the southeast United States coast. *Environmental Toxicology and Chemistry* 21:2752–64.
- Serchuk, F.M., and S.A. Murawski. 1997. The offshore molluscan resources of the Northeastern Coast of the United States: Surfclams, ocean quahogs, and sea scallops. Pp. 45–62. In: *The History, Present Condition, and Future of the Molluscan Fisheries of North and Central America and Europe, Vol. 1, Atlantic and Gulf Coasts.* C.L. MacKenzie, Jr., V.G. Burrell, Jr., A. Rosenfield, and W.L. Hobart (eds.). NOAA Tech. Rep. 127. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- SFEI (San Francisco Estuary Institute). 2003. *The Pulse of the Estuary: Monitoring and Managing Contamination in the San Francisco Estuary*. SFEI contribution 74. San Francisco Estuary Institute, Oakland, CA.
- SFEI (San Francisco Estuary Institute). 2004. *The Pulse of the Estuary: Monitoring and Managing Water Quality in the San Francisco Estuary*. SFEI contribution 78. San Francisco Estuary Institute, Oakland, CA.
- SFEI (San Francisco Estuary Institute). 2006. Pulse of the Estuary: Monitoring and Managing Water Quality in the San Francisco Estuary. San Francisco Estuary Institute, Oakland, CA.
- Sharma, G.D. 1979. The Alaska Shelf—Hydrographic, Sedimentary, and Geochemical Environment. Springer-Verlag, NY.
- Shellenbarger, G.G., D.H. Schoellhamer, and M.A. Lionberger. 2004. A South San Francisco Bay Sediment Budget: Wetland Restoration and Potential Effects on Phytoplankton Blooms. Proceedings of the 2004 Ocean Research Conference, Honolulu, HI, February 15–20.

- Sherman, K., J. Kane, S. Murawski, W. Overholz, and A. Solow. 2002. The U.S. Northeast Shelf Large Marine Ecosystem: Zooplankton trends in fish biomass recovery. Pp. 195–215.
 In: Large Marine Ecosystems of the North Atlantic. K. Sherman and H.R. Skjoldal (eds.). Elsevier, Amsterdam.
- Sherman, K., J. O'Reilly, and J. Kane. 2003. Assessment and sustainability of the U.S. Northeast Shelf Ecosystem. Pp. 93–120. In: *Large Marine Ecosystems of the World: Trends in Exploitation, Protection, and Research*. G. Hempel and K. Sherman (eds.). Elsevier, Amsterdam.
- Short, F.T., L.K. Muehlstein, and D. Porter. 1987. Eelgrass wasting disease: Cause and recurrence of a marine epidemic. *Biological Bulletin* 173:557–562.
- Smith, R.W., M. Bergen, S.B. Weisberg, D. Cadien, A. Dalkey, D. Montagne, J.K. Stull, and R.G. Velarde. 1998. *Benthic Response Index for Assessing Infaunal Communities on the Mainland Shelf of Southern California*. 1997–98 Annual Report. Southern California Coastal Water Research Project, Westminster, CA.
- Smith, R.W., M. Bergen, S.B. Weisberg, D. Cadien, A. Dalkey, D. Montagne, J.K. Stull, and R.G. Velarde. 2001. Benthic response index for assessing infaunal communities on the southern California mainland shelf. *Ecological Applications* 11:1073–1087.
- Smith, L.M., V.D. Engle, and J.K. Summers. 2006. Assessing water clarity as a component of water quality in Gulf of Mexico estuaries. *Environmental Monitoring and Assessment 115*:291–305.
- Society of Wetland Scientists. 2000. *Position Paper on the Definition of Wetland Restoration*. Society of Wetland Scientists, McLean, VA.
- South Carolina DNR (Department of Natural Resources). 2007a. *Oyster Recycling and Restoration Program*. South Carolina Department of National Resources online information. South Carolina Department of Natural Resources, Marine Resources Division, Charleston, SC. Available at: http://saltwaterfishing.sc.gov/oyster.html (Accessed April 2007).
- South Carolina DNR (Department of Natural Resources). 2007b. South Carolina Oyster Restoration and Enhancement. South Carolina Department of National Resources online information. South Carolina Department of Natural Resources, Marine Resources Division, Charleston, SC. Available at http://score.dnr.sc.gov/index.php (Accessed April 2007).
- Stedman, S.M., and J. Hanson. 2000. *Habitat Connections: Wetlands, Fisheries and Economics in the South Atlantic Coastal States*. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Silver Spring, MD.
- Steinberger, A., and E.D. Stein. 2004. Effluent discharges to the Southern California Bight from large municipal wastewater treatment facilities in 2001 and 2002. Pp. 2–15. In: *Southern California Coastal Water Research Project 2003–2004 Biennial Report*. S.B. Weisberg and D. Elmore (eds.). Southern California Coastal Water Research Project, Westminster, CA.
- Strobel, C.J., H.W. Buffum, S.J. Benyi, E.A. Petrocelli, D.R. Reifsteck, and D.J. Keith. 1995. Statistical Summary: EMAP-Estuaries Virginian Province—1990 to 1993. EPA/620-R-94-026. U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory-Atlantic Ecology Division, Narragansett, RI.

- Stull, J. 1995. Two decades of biological monitoring, Palos Verdes, California, 1972 to 1992. Bulletin of the Southern California Academy of Sciences 94:21–45.
- Summers, J.K., J.F. Paul, and A. Robertson. 1995. Monitoring the ecological condition of estuaries in the United States. *Toxicological and Environmental Chemistry* 49:93–108.
- Swartz, R.C., J.H. Bailey-Brock, W.J. Cooke, and E.A. Kay. 2002. *Regional Monitoring of Benthic Fauna in Mamala Bay, O'ahu, Hawai'i, August 2001.* Project Report PR-2002-07. University of Hawai'i at Manoa, Water Resources Research Center, Honolulu, HI.
- SWRCB (State Water Resources Control Board). 2006. Development of Sediment Quality Objectives for Enclosed Bays and Estuaries. CEQA Scoping Meeting Information Document. State Water Resources Control Board, Division of Water Quality, Sacramento, CA.
- Taylor, D.L., and D.J. Danila. 2005. Predation on winter flounder (*Pseudopleuronectes americanus*) eggs by the sand shrimp (*Cragnon septemspinosa*). *Canadian Journal of Fisheries and Aquatic Sciences* 62(7):1611–1625.
- Teitelbaum, J.S., R.J. Zatorre, S. Carpenter, D. Gendron, A.C. Evans, A. Gjedde, and N.R. Cashman. 1990. Neurologic sequelae of domoic acid intoxication due to the ingestion of contaminated mussels. *New England Journal of Medicine 322*:1781–1787.
- Thayer, G.W., and M.E. Kentula. 2005. Coastal restoration: Where have we been, where are we now, and where should we be going? *Journal of Coastal Research Special Issue 40*:1–5.
- Thayer, G.W., T.A. McTigue, R.J. Bellmer, F.M. Burrows, D.H. Merkey, A.D. Nickens, S.J. Lorenzo, P.J. Gayaldo, P.J. Polmateer, and P.T. Pinit. 2003. Science-Based Restoration Monitoring of Coastal Habitats Volume 1: A Framework for Monitoring Plans Under the Estuaries and Clean Water Act of 2000 (Public Law 160-457). NOAA Coastal Ocean Program Decision Analysis Series No. 23, Volume 1. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Centers for Coastal Ocean Science, Center for Sponsored Coastal Ocean Research, Silver Spring, MD.
- Thayer, G.W., T.A. McTigue, R.J. Salz, D.H. Merkey, F.M. Burrows, and P.F. Gayaldo (eds.). 2005. Science-Based Restoration Monitoring of Coastal Habitats Volume 2: Tools for Monitoring Coastal Habitats. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Centers for Coastal Ocean Science, Center for Sponsored Coastal Ocean Research, Silver Spring, MD.
- Thieler, E.R., and E.S. Hammar-Klose. 1999. *National Assessment of Coastal Vulnerability to Sea-Level Rise: Preliminary Results for the U.S. Atlantic Coast.* USGS Open-file Report 99-593. U.S. Department of the Interior, U.S. Geological Survey, Woods Hole, MA.
- Transport Canada. 2007. *The Canadian Ballast Water Program*. Transport Canada online information. Transport Canada, Marine Safety, Ottawa, ON. Available at: http://www.tc.gc.ca/marinesafety/oep/environment/ballastwater/management.htm (Accessed May 2007).

- Turner, R.E., and D.F. Boesch. 1988. Aquatic animal protection and wetland relationships: Insights gleaned following wetland loss or gain. In: *The Ecology and Management of Wetlands. Volume 1: Ecology of Wetlands.* D.D. Hook, W.H. McKee, Jr., H.K. Smith, J.Gregory, V.G. Burrell, Jr., M.R. Devoe, R.E. Sojka, S. Gilbert, R. Banks, L.H. Stolzy, C. Brooks, T.D. Matthews, and T.H. Shear (eds.). Timber Press, Portland, OR.
- Turner, R.E., and B. Steever. 2002. *Approaches to Coastal Wetland Restoration: Northern Gulf of Mexico*. SPB Academic Publishing, The Hague, The Netherlands.
- U.S. Census Bureau. 2000a. 1997 Economic Census, Manufacturing, Geographic Area Series—Massachusetts. EC97M31A-MA. U.S. Department of Commerce, U.S. Census Bureau, Washington, DC.
- U.S. Census Bureau. 2000b. 1997 Economic Census, Manufacturing, Geographic Area Series—Rhode Island. EC97M31A-RI. U.S. Department of Commerce, U.S. Census Bureau, Washington, DC.
- U.S. Census Bureau. 2001. *Your Gateway to Census 2000*. U.S. Census Bureau online information. U.S. Department of Commerce, U.S. Census Bureau, Washington, DC. Available at: http://www.census.gov/main/www/cen2000.html (Accessed November 2006).
- U.S. Census Bureau. 2006a. *State and County Quickfacts*. U.S. Census Bureau online information. U.S. Department of Commerce, U.S. Census Bureau, Washington, DC. Available at: http://quickfacts.census.gov/qfd/index.html (Accessed August 2006).
- U.S. Census Bureau. 2006b. *Statistical Abstract of the United States: 2006*. U.S. Department of Commerce, U.S. Census Bureau, Washington, DC.
- U.S. Commission on Ocean Policy. 2004a. *An Ocean Blueprint for the 21st Century*. Final Report. U.S. Commission on Ocean Policy, Washington, DC.
- U.S. Commission on Ocean Policy. 2004b. *Preliminary Report of the U.S. Commission on Ocean Policy*. Governors' Draft. U.S. Commission on Ocean Policy, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 1993. Proposed Sediment Quality Criteria for the Protection of Benthic Organisms: Acenaphthene. EPA/822-F-93-006. U.S. Environmental Protection Agency, Office of Science and Technology, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 1994. Methods for Assessing the Toxicity of Sediment-Associated Contaminants with Estuarine and Marine Amphipods. EPA/600/R-94/025. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 1995a. Environmental Monitoring and Assessment Program (EMAP): Laboratory Methods Manual—Estuaries, Volume 1: Biological and Physical Analyses. EPA/620-R-95-008. U.S. Environmental Protection Agency, Office of Research and Development, Narragansett, RI.
- U.S. EPA (Environmental Protection Agency). 1995b. National Water Quality Inventory—1994 Report to Congress. EPA/841-R-95-005. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 1998a. Condition of the Mid-Atlantic Estuaries. EPA/600-R-98-147. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.

- U.S. EPA (Environmental Protection Agency). 1998b. *The Beach and Your Coastal Watershed*. EPA/842-F-98-10. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 1999. Ecological Condition of Estuaries in the Gulf of Mexico. EPA/620-R-98-004. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Gulf Ecology Division, Gulf Breeze, FL.
- U.S. EPA (Environmental Protection Agency). 2000a. Ambient Water Quality Criteria for Dissolved Oxygen (Saltwater): Cape Cod to Cape Hatteras. EPA/822-R-00-012. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2000b. A Framework for an Integrated and Comprehensive Monitoring Plan for Estuaries on the Gulf of Mexico. EPA-620/R-00/005. U.S. Environmental Protection Agency, Gulf of Mexico Program, Stennis Space Center, MS.
- U.S. EPA (Environmental Protection Agency). 2000c. Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 2: Risk Assessment and Fish Consumption Limits. EPA/823-B-00-008. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2001a. National Coastal Assessment Field Operations Manual. EPA/620-R-01-003. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2001b. *National Coastal Assessment Quality Assurance Project Plan*. EPA/620-R-01-002. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2001c. National Coastal Condition Report. EPA/620-R-01-005. U.S. Environmental Protection Agency, Office of Research and Development and Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2001d. *National Sediment Quality Survey Database:* 1980–1999. Database. EPA/823-F-01-002. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2001e. Water Quality Criterion for the Protection of Human Health: Methylmercury. EPA/823-R-01-001. U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2002. Research Strategy, Environmental Monitoring and Assessment Program. EPA/620-R-02-002. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Research Triangle Park, NC.
- U.S. EPA (Environmental Protection Agency). 2003. Brayton Point Station, Somerset, MA: Final National Pollutant Discharge Elimination System (NPDES) Permit. Fact Sheet. U.S. Environmental Protection Agency, Region 1, Boston, MA.
- U.S. EPA (Environmental Protection Agency). 2004a. *National Coastal Condition Report II*. EPA/620-R-03-002. U.S. Environmental Protection Agency, Office of Research and Development and Office of Water, Washington, DC.

- U.S. EPA (Environmental Protection Agency). 2004b. *National Listing of Fish and Wildlife Database—2003*. U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology, Standards and Health Protection Division, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2004c. The Incidence and Severity of Sediment Contamination in Surface Waters of the United States, National Sediment Quality Survey: Second Edition. EPA/823-R-04-007. U.S. Environmental Protection Agency, Office of Science and Technology, Standards and Health Protection Division, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2005a. *EPA's BEACH Program: 2004 Swimming Season Update*. EPA/823-F-05-006. U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology, Standards and Health Protection Division, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2005b. *National Listing of Fish Advisories Database*. U.S. Environmental Protection Agency online information. U.S. Environmental Protection Agency, Office of Water, Washington, DC. Available at: http://epa.gov/waterscience/fish/advisories/ (Accessed December 2005).
- U.S. EPA (Environmental Protection Agency). 2005c. Water Discharge Permits-Permit Compliance System (PCS) Database. U.S. Environmental Protection Agency online information. U.S. Environmental Protection Agency, Office of Ground Water and Drinking Water, Washington, DC. Available at: http://www.epa.gov/enviro/html/pcs/index.html (Accessed December 2005).
- U.S. EPA (Environmental Protection Agency). 2006a. *Draft Guidance for Implementing the January 2001 Methylmercury Water Quality Criterion*. EPA/823-B-04-001. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2006b. *National Estuary Program Coastal Condition Report*. EPA/842-B-06-001. U.S. Environmental Protection Agency, Office of Water and Office of Research and Development, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2006c. *PRAWN Database (September 11, 2006)*. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. EPA (Environmental Protection Agency). 2007a. Alabama Habitat Strategic Assessment Workshop, Project # MX964002. U.S. Environmental Protection Agency online information. U.S. Environmental Protection Agency, Gulf of Mexico Program, Stennis Space Center, MS. Available at: http://www.epa.gov/gmpo/projects/ala-habitat_intro.html (Accessed April 2007).
- U.S. EPA (Environmental Protection Agency). 2007b. Aquatic Resources Monitoring. U.S. Environmental Protection Agency online information. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Research Laboratory, Corvallis, OR. Available at: http://www.epa.gov/nheerl/arm/index.htm (Accessed October 2007).
- U.S. EPA (Environmental Protection Agency). 2007c. Areas of Concern (AoCs) On-line. U.S. Environmental Protection Agency online information. U.S. Environmental Protection Agency, Great Lakes National Program Office, Chicago, IL. Available at http://www.epa.gov/glnpo/aoc/index.html (Accessed May 2007).

- U.S. EPA (Environmental Protection Agency). 2007d. Benthic Community Health. U.S. Environmental Protection Agency online information. U.S. Environmental Protection Agency, Great Lakes National Program Office, Chicago, IL. Available at http://www.epa.gov/glnpo/glindicators/biology/benthica.html (Accessed May 2007).
- U.S. Senate. 2003. Coastal and Estuarine Land Protection Act. (to accompany S. 861) (S. Rpt. 108–158). Committee on Commerce, Science and Transportation. Government Printing Office, Washington, DC.
- Ulanowicz, R.E., and J.H. Tuttle. 1992. The trophic consequences of oyster stock rehabilitation in Chesapeake Bay. *Estuaries* 15:298–306.
- UNEP (United Nations Environment Programme). 2004. *GEO Year Book 2003*. United Nations Environmental Program, Division of Early Warning and Assessment, Global Environment Outlook Team, Nairobi, Kenya.
- University of British Columbia. 2007. Sea Around Us Project—Web Products: Large Marine Ecosystems. University of British Columbia online information. University of British Columbia, Aquatic Ecosystems Research Laboratory, Fisheries Centre, Vancouver, BC, Canada. Available at: http://www.seaaroundus.org/LME/lme.aspx# (Accessed May 2007).
- USACE (U.S. Army Corps of Engineers). 2001. *Providence River and Harbor Maintenance Dredging Project, Final Environmental Impact Statement*. U.S. Army Corps of Engineers, New England District, Concord, MA.
- USACE (U.S. Army Corps of Engineers). 2005. *Rhode Island, Corps to Mark Completion of Providence River and Harbor Maintenance Dredging Project.* News Release RI 2005-04. U.S. Army Corps of Engineers, New England District, Concord, MA. January 10.
- USDA (U.S. Department of Agriculture). 2004a. 2002 Census of Agriculture, Volume 1, Geographic Area Series, Part 21—Massachusetts State and County Data. AC-02-A21. U.S. Department of Agriculture, National Agricultural Statistics Service, Washington, DC.
- USDA (U.S. Department of Agriculture). 2004b. 2002 Census of Agriculture, Volume 1, Geographic Area Series, Part 39—Rhode Island State and County Data. AC-02-A39. U.S. Department of Agriculture, National Agricultural Statistics Service, Washington, DC.
- USGS (U.S. Geological Survey). 2006a. *National Water Quality Network Pilot Underway*. News Release. U.S. Department of the Interior, U.S. Geological Survey, Reston, VA.
- USGS (U.S. Geological Survey). 2006b. *Water Quality of San Francisco Bay: A Long-term Program of the U.S. Geological Survey*. U.S. Geological Survey online information. U.S. Department of the Interior, U.S. Geological Survey, Menlo Park, CA. Available at: http://sfbay.wr.usgs.gov/access/wqdata/ (Accessed June 2006).
- Van Dolah, R.F., J.L. Hyland, A.F. Holland, J.S. Rosen, and T.T. Snoots. 1999. A benthic index of biological integrity for assessing habitat quality in estuaries of the southeastern USA. *Marine Environmental Research* 48:(4–5):269–283.
- Van Metre, P.C., and B.J. Mahler. 2005. Trends in hydrophobic organic contaminants in urban and reference lake sediments across the United States, 1970–2001. *Environmental Science and Technology* 39:5567–5574.

- Van Metre, P.C., B.J. Mahler, and E.T. Furlong. 2000. Urban sprawl leaves its PAH signature. Environmental Science and Technology 34:4064–4070.
- Waddell, J.E. (ed.). 2005. The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2005. NOAA Technical Memorandum NOC NCCOS 11. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, National Centers for Coastal Ocean Science, Center for Coastal Monitoring and Assessment, Biogeography Team, Silver Spring, MD.
- Weisberg, S.B., J.A. Ranasinghe, D.D. Dauer, L.C. Schnaffer, R.J. Diaz, and J.B. Frithsen. 1997. An estuarine benthic index of biotic integrity (B-IBI) for Chesapeake Bay. *Estuaries 20*(1):149–158.
- Wells, R.V., V. Tornero, A. Borrell, A. Aguilar, T.K. Rowles, H.L. Rhinehart, S. Hofmann, W.M. Jarman, A.A. Hohn, and J.C. Sweeney. 2005. Integrating life-history and reproductive success data to examine potential relationships with organochlorine compounds for bottlenose dolphins (*Tursiops truncatus*) in Sarasota Bay, Florida. Science of the Total Environment 349:106–19.
- Williams, I.P., N.J. Maciolek, J.D. Boyle, D.T. Dahlen, and E. Baptiste Carpenter. 2002. Combined Work/Quality Assurance Plan for Benthic Monitoring: 2002–2005. MWRA Miscellaneous Report Number ms-076. Massachusetts Water Resources Authority, Environmental Quality Department, Boston, MA.
- WPRFMC (Western Pacific Region Fishery Management Council). 1986. Combined Fishery Management Plan, Environmental Assessment and Regulatory Impact Review for the Bottomfish and Seamount Groundfish Fisheries of the Western Pacific Region. Western Pacific Region Fishery Management Council, Honolulu, HI.
- Wright, B.A., J.W. Short, T.J. Weingartner, and P.J. Anderson. 2000. The Gulf of Alaska, Chapter 20, pp. 373–384. In: Seas at the Millennium: An Environmental Evaluation. Volume I—Regional Chapters: Europe, The Americas and West Africa. C.R.C. Sheppard (ed.). Pergamon, Amsterdam.
- Yeager, D.W. 2006. Estuary reflections. Alabama Current Connection 1(1):5.
- Zervas, C. 2004. North Carolina Bathymetry/Topography Sea Level Rise Project: Determination of Sea Level Trends. NOAA Technical Report NOS CO-OPS 041. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Center for Operational Oceanographic Products and Services, Silver Spring, MD.
- Zwanenburg, K.C.T., D. Bowen, A. Bundy, K. Drinkwater, K. Frank, R.O'Boyle, D. Sameoto, and M. Sinclair. 2002. Decadal changes in the Scotian Shelf large marine ecosystem. In: *Large Marine Ecosystems of the North Atlantic: Changing States and Sustainability*. K. Sherman and H.R. Skjoldal (eds.). Elsevier, Amsterdam.

National Coastal Condition Report III











1200 Pennsylvania Ave., N.W.: (4504T) Washington, DC 20460 Protection Agency United States Environmental

Penalty for Private Use \$300 Official Business